

a.  
NAME: *Holoptantha emoryi* Gray

EXTRACTOR:

FAMILY: Simarubaceae

WARF

DISTRIBUTION:

Genus:

Species:

SECTIONS:

Date:

GEN:

Trial Inventory Active: 2D 5/17/66

Conf. Invent. Active: 1C 5/31/66

DK KB

ACTIVE SAMPLE:

Source:

Content: 3.50 lb. tw-inf(fr)

Calif. B-1812

Date of Collection: 3/65

Along State Hwy 98, 9 mi. E. of Jct. with  
U.S. Hwy 80, Imperial Co. Calif.  
Stiff, much branched thorny shrubs  
3.5 m. in ht. in fruit, dioecious, dry  
flat plains, creosote bush scrub

Number: PR-9549

RECOLLECTION:

PR No.:

Content:

Date:

Source:

13256

55# TW-IF

4/67

T-4013

WALL

17182

196 lbs. tw-if

10/68

M-2782

WALL

17786

32 lbs. ws-sb

2/69

LS-1141

"

17787

15.5 lbs. tw + 46.5 lbs

"

"

"

17788

16. fr

"

"

"

B-633407 .32 .38 KB 06 5/17/66

B-633407 1C in KB 5/31/66

Pinal, Maricopa, Pima, and Yuma Counties, 2,000 ft. or  
lower, but not abundant on desert plains, June + July.  
Southern Arizona, southeastern California, + northern  
Mexico. Fruit persists for years. Plant attains a  
height of 3.5 m. - Crucifixion Thorn (Arizona Flora)

RTI needs additional amount - Taylor letter 1/21/69

PR-17807-17854 - 48 small samples sent to WARF - 4/11/69

17859

3.25 lbs. tw-fr

11/68

Arizona M-2979 WARF

4/70 Active in KB & PS; Wall has enough material

3/71

21244

105 # tw fr

Cal

7/71

wied. M-3500

Wall

PR NO:

CONTEXT

DATE

SOURCE

21244

● 105.0016, TW-FN

7/71 (Wiedkopf)

CALIF. M-3500 WALL.

NAME: *Castela emoryi* (Gray)  
Moran + Felger  
FAMILY: *Simnabaceae*

EXTRACTOR: Warf  
~~315E~~  
Wall

DISTRIBUTION:

Priority:

Confirmed Active: IC-PS, 1/70  
IC-KB, 1/71  
D

ACTIVE SAMPLE:

Source: Calif. (Imperial Co.)

Content: st - fr

Date of Collection: 4/ /68

Number:

B. 628688

RECOLLECTIONS:

PR No.:

Content:

Date:

Source:

Chemist:

ASB ltr. 9-19-78 To Mr. Dick Gilforth, Calif.  
He will be sending fresh *C. emoryi* seed  
when they are mature. ASB asked for cuttings  
to be rooted at Glenn Dale.